

INDEX MAPS.

T.11N R.8W 2nd Mer.

	177-180	177-179	178-179	178-179	178-179	178
182	6 200 5 195 4 191 3 188 2 185 1 177					
	199	199	194	191	188	185
181	7 198 8 194 9 190 10 187 11 184 12 176					
	198	198	194	190	187	184
181	18 198 17 193 16 190 15 187 14 184 13 176					
	197	197	193	189	187	184
181	19 197 20 192 21 189 22 186 23 183 24 176					
	196	196	192	189	186	183
180	30 196 29 192 28 189 27 186 26 183 25 176					
	195	195	191	189	186	182
180	31 195 32 191 33 188 34 185 35 182 36 175					
	173-175	173-175	173-175	173-174	173-174	174

T.12N R.8W 2nd Mer.

	206-208	206-208	206-208	206-207	206-207	207
210	6 230 5 225 4 221 3 217 2 213 1 205					
	229	229	224	220	217	213
209	7 229 8 224 9 220 10 216 11 213 12 205					
	229	228	223	220	216	213
209	18 228 17 223 16 219 15 216 14 212 13 204					
	228	227	223	219	215	212
209	19 227 20 222 21 219 22 215 23 211 24 204					
	227	226	222	218	215	211
209	30 226 29 222 28 218 27 215 26 211 25 204					
	226	225	221	218	214	210
208	31 225 32 221 33 218 34 214 35 210 36 203					
	201-203	201-203	201-203	201-202	201-202	202

The figures on the lines refer to the page.

Township N. 10. North of Range N. 8 West of the 2nd Mer. Sec. 31.
Ch. 1. 11/2.

South Boundary

East On a Random line On the South Boundary of Sec. 31.
T. 11. N. R. 8. W. $\angle 6^{\circ} 40'$ April 22. 1884

18.50 To a Brook 15 links min, Corner N.E.

40.00 Set a temp. post in a post.

45.50 To a Brook 10 links min, Corner N.E.

80.00 Set a temp. post for the cor of sec. 31 & 32 (fence whistling)
Said to be 1/2 mile rolling and broken; East to work
between Oaks & Hickory 3rd rate.

East On a Random line On the South Boundary of Sec. 32
T. 11. N. R. 8. W.

40.00 Set a temp. post in a post.

80.00 Set a temp. post for the cor of sec. 32 & 33
Said to be 1/2 mile rolling and broken; East to work
between Oaks & Hickory 3rd rate.

East On a Random line On the South Boundary of Sec. 33
T. 11. N. R. 8. W.

10.00 Enter a prairie

40.00 Passes prairie. Set a temp. post in a post.

80.00 Set a temporary post for the cor of sec. 33 & 34

East On a Random line On the South Boundary of Sec. 34

40.00 Set a temp. post in a post.

45.00 Enter prairie

80.00 Set a temp. post for the cor of sec. 34 & 35.

Said to be 3rd rate; and; Hickory, timbered with Oak
& Hickory

East On a Random line On the South Boundary of Sec. 35

5.00 Enter a prairie

40.00 Set a temp. post in a post.

51.00 To a Brook 6 links min, Corner N.W.

55.00 Crossed the prairie

80.00 Set a temp. post for the cor of sec. 35 & 36.

T. No. 11. N. R. No. 8. W. Q. M. (M. S. S. S.)

Same same 3rd rate.

East On a Random line On the South Boundary of sec. 36.
40.00 Set a timber 7/8 post
75.28 Set a timber 7/8 post on the line 247 lb. North of the timber
Tenn. Sec. Set a post for the corner of T. 10. N. R. 8. W. 78
West 123 lb. South of the intersection of the Random
Same 3rd rate Not much timber.

West On the line On the South Boundary of sec. 36.
T. 11. N. R. 8. W. April 23. 1811. Jan. 6. 40'
40.00 Set the timber 7/8 post on the line from which
a P. Oak 18 in dia. bears S 55 W. 15 lb. dist. 78
Do. 24 " " " S 56 E 55 " "
80.00 Set the timber 7/8 post on the line further on of sec.
35 & 36 from which a
Hickory 14 in dia. bears N 47 E. 39 lb. dist. 78
Do. 14 " " " S 53 E. 51 " "

West On the line On the South Boundary of sec. 35.
T. 11. N. R. 8. W.
40.00 Set a timber 7/8 post on the line from which
a P. Oak. No bearing tree.
80.00 Set the timber 7/8 post on the line for the corner of sec. 34 & 35
from which a Hickory 9 in dia. bears N 21 1/2 W. 230 lb. dist.
under Do. 08 " " " N 10 E. 330 " "

West On the line On the South Boundary of sec. 34.
T. 11. N. R. 8. W.
40.00 Set the timber 7/8 post on the line from which
P. Oak 20 in dia. bears S 83 W. 78 lb. dist. 78
Hickory 10 " " " S 87 E. 81 " "
80.00 Set the timber 7/8 post on the line for the corner of sec. 34 & 35
from which a P. Oak 10 in dia. bears N 70 E. 176 lb. dist.
under Do. 03 " " " N 23 1/2 E. 572 " "

T. N. N. R. N. 874 Q. and Mm. Ind.

West Cut the line line Cut the South Broadway Ave. 33.
J. H. R. R. R.

40.00 Left the troops to see post on the main line from which
Capt. 112 in war time. N 11 W. 400 lbs net.

8000 Set the temp. of port on the Arm bar for the cu of 32 lbs.
from which — 14 in. diam. bar. 152 p. & 39 lbs. with
made a temp. 9 " " 143 p. 47 " "

West Cytha Lane born On the South Branch of Apr. 32.
J. H. N. & W.

Set the tripod & support over the true line from which a
Strike 8 in diam turn N 56 E 120 the side &c,
Do. 9 " " " S 45 W E. 4 "

80.00 Set a post temp. 7 for the cov. of sw. 31 N 32 in the new line
from which a Mark 12 in diameter. N 33 E 21 the dist.
under a No. 11 " " " N 84 W 35. "

West Center Line from East to South Boundary from 31.
T. J. M. 877.

45.00 Set a trap 7 1/2 up post on the line from which an
R. Cat. 12 in clear time. N 13 W. 23 the arch; 74,
W Oak. 27 " " " 29 E. 44, "

75.28 Got a post from the cov of T^s 10 + 11. Alt 8 + 9 W 123 lbs
South of the inter section of the Randens bris. from which
W Oak. 18 in diam. bears. At 11 W. 39 lbs each. To
Gum 9 x " " GLE 25 x "

East Boundary

V. 6411

North On the East Branch of the River. 36. 711. 11. 14. 8 W

40.00 Set a p^y capst from which
W Oak 24 in diam. 660 lb. 34 lbs. net; 4
B Oak 18 " " " 158 lb 98; "

80.50 Set apart for the ex of sec 25 & 36. From which a
NW 1/4 18 in. old. trans. 30 NW 97 the met. & a
Llo. 30 " " " West 93 " "

T. N. 11. N. R. 8. W. 2nd Mer. Sec. 1

Sec. 3rd rate; The rest of mile almost destitute of timber.
Last 1/2 mile timbered with Oak & Hickory

North On the East Boundary of Sec. 25. T. N. 11. N. R. 8. W.
40.00 Set a 1/4 section from which a

B. Oak. 18 in diam. bears S 21° W 21 lbs. each, & a

W Oak. 14 " " N 59° E 44 " "

80.00 Set a post for the cor. of sec 24 & 25 from which,
Hickory 12 in diam. bears North 77 lbs. each, & a

W Oak. 14 " " S 57° E 51 " "

The rest 3/4 of the mile a little rolling and middling
good for wheat; last 1/4 level & very timbered Oak & Hickory

North On the East Boundary of Sec. 24 T. N. 11. N. R. 8. W.

40.00 Set a 1/4 section from which a

B. Oak. 24 in diam. bears S 16° E 42 lbs. each, & a

Hickory 10 " " N 57° W 66 " "

57.50 To a Block of the mile corner E.

80.00 Set a post for the cor. of sec 13 & 24 from which,

W Oak. 16 in diam. bears N 42° E 17 lbs. each, & a

D. 14 " " N 63° W 35 " "

Ground a little rolling and middling good for wheat
timbered Oak & Hickory

North On the East Boundary of Sec. 13 T. N. 11. N. R. 8. W.

35.00 Enter a prairie

40.00 Set a 1/4 section from which a

B. Oak. 16 in diam. bears S 57° W 270 lbs. each, & a

Hickory 12 " " S 7° E 44 " "

80.00 Set a post for the cor. of sec 12 & 13 from which

Hickory 12 in diam. bears S 13° E 10 lbs. each, & a

D. 12 " " S 81° W 21 " "

Ground 3rd rate & wet.

North On the East Boundary of Sec. 12 T. N. 11. N. R. 8. W.

40.00 Set a 1/4 section in prairie. No trees in trees.

177

T. No. 11. N.H. No. 872nd. (Mw. Ind.)

80.00 Set a post for the cor of sec. 11 & 12 in prairie from which
W Oak 14 in dir. line. N 74 E. 356 the dist. to
B Oak 12 " " " N 46 W. 283 " "
Land mt & 3rd rate prairie

North On the East Bound of sec. 1. T. 11. N.H. 872

5.00 Crossed the prairie

20.50 To a Brook 8 links wide, comes W.

40.00 Set a post from which

R Oak 14 in dir. line. S 27 W. 22 the dist. to

W Oak 15 " " " N 39 E 16 " "

49.00 To a Brook 12 links wide, comes NW.

80.00 Set a post for the cor of sec. 11 & 12 N.H. No. 872

from which Sugar 10 in dir. line S 68 E. 38 the dist.

and to " " " " N 40 W 38 " "

Land R. & 1/2 mile rolling and muddling good for wheat
Timber Oak & Hickory. Last 1/2 mile rolling & oak & fir
Timber Oak & Poplar, Ash & Sugar, Hazel many
Some good for farming.

North Boundary

East On a Ran. am line On the South Boundary of sec. 31.
T. 12. N.H. 872

5.50 To a Brook 4 links wide, comes SW.

40.00 Set a temp. 1/2 post.

80.00 Set a temp. 1/2 post for the cor of sec. 31 & 32

Land level and rich Timber Oak, Hickory, Ash, Pop.
lar, Sugar, Birch, &c. Good farming land.

East On a Ran. am line On the South Boundary of sec. 32.
T. 12. N.H. 872

32.50 To a Brook 8 links wide, comes SW.

40.00 Set a temp. 1/2 post

80.00 Set a temp. 1/2 post for the cor of sec. 32 & 33

Land level Timber Oak, Hickory Birch & Maple.
Good soil, rather wet.

T. No 11. A.R. No 87W 2nd Mer. Sec.

East	Qua Ranam line On the South Boundary of Sec. 33. T. 12 N. R. 87W.
40.00	Set a temp. 7 1/4 in. sap post.
44.00	To a Brook 3 links wide, course S.W.
80.00	Set a temp. 7 post for the cor of Sec. 33 & 34. Land as same.
East	Qua Ranam line On the South Boundary of Sec. 34. T. 12 N. R. 87W.
40.00	Set a temp. 7 1/4 in. sap post.
60.50	To a Brook 6 links wide, course S.
80.00	Set a temp. 7 post for the cor of Sec. 34 & 35. Land 1/2 mile; the last 1/2 mile rolling and the timber all blown down by the high winds this Spring
East	Qua Ranam line On the South Boundary of Sec. 35. T. 12 N. R. 87W.
4.00	To a Brook 16 links wide, course S.
40.00	Set a temp. 7 1/4 in. sap post.
80.00	Set a temp. 7 post for the cor of Sec. 35 & 36. Land 1/2 mile rolling; last 1/2 mile: Timber Birch, Sycamore, Ash, Oak, Hickory &c. Timber all blown down by the wind.
East	Qua Ranam line On the South Boundary of Sec. 36. T. 12 N. R. 87W.
40.00	Set a temp. 7 1/4 in. sap post.
75.69	Intersect the Ranam line 372 links North of the cor to. T. 12 N. R. 87W. Land level and out; Timber Cedar & Hickory, Gum, Maple, Poplar, &c. For farming land.
West	On the line On the South Boundary of Sec. 36. T. 12 N. R. 87W.
40.00	Set the temp. 7 1/4 in. sap post on the line from which Maple, 12 in. diam. diam. 81 & 30 the north &c.

T. N. W. N. R. No. 871 2nd Mer. Ind. 179

P. Oak. 14 in dist. bears. S 41° W. 12 the dist;
 80.00 Set the trumpet post on the true line for the cor of sec 35 & 36
 from which Logwood. 6 in dist. bears. S 18° W. 12 the dist;
 under No. 7; , , N 7° W 3, ,

West On the true line On the South Corner of sec. 35.
 T. N. W. N. R. 871 May. 1881
 40.00 Set the trumpet & sap post on the true line from which
 Gum. 12 in dist. bears. N 63° E. 15 links dist. & a
 W Oak. 8 " " " N 21° W. 60 " "
 80.00 Set the trumpet post for the cor of sec. 34 & 35 for the true line
 from which an P. Oak. 5 in dist. bears. N 39° E. 81 the dist. & a
 Birch. 11 " " " N 31° E 53, ,

West On the true line On the South Corner of sec. 34.
 T. N. W. N. R. 871
 40.00 Set a 7/8 sap post trumpet on the true line from which
 Hick. 12 in dist. bears. N 20° E. 28 the dist. & a
 Gum. 5 " " " S 24° W 31, ,
 80.00 Set the trumpet post on the true line for the cor of sec. 35 & 34
 from which an Elm. 12 in dist. bears. S 54° W. 26 the dist.
 and a W Oak 18, " " N 12° W. 5, ,

West On the true line On the South Corner of sec. 33.
 T. N. W. N. R. 871
 40.00 Set the trumpet & sap post on the true line from which
 Hick. 10 in dist. bears. S 5° W. 34 the dist. & a
 W Oak 30 " " " N 77° W 7, ,
 80.00 Set a post for the cor of sec. 32 & 33 on the true line
 from which a P. Oak. 10 in dist. bears. N 20° E. 33 the dist.
 under Sy. m. 10 " " " S 38° W 19, ,

West On the true line On the South Corner of sec. 32.
 T. N. W. N. R. 871
 40.00 Set the trumpet & sap post on the true line from which
 W Oak. 20 in dist. bears. N 19° W. 15 the dist. & a

2a

No. 14-8

Com

T. No. 11. N. R. No. 877 2nd M. Ind.

N Walnut 5 in air: beam S25E. 13 the arch;
 80.00 Set the temp. post on the beam line for the cor of sec. 31 & 32
 from which, Buck. 14 in air: beam. N18W. 35 the arch;
 and a W Oak. 24 " " S42W. 21 " "

West On the line On the South Boundary of sec. 31.
 T. 12. N. R. 877.

40.00 Set the temp. post at the transect from which,
 W Oak. 10 in air: beam. N80W. 18 the arch; &
 Do. 11 " " S47W. 32 " "

75.69 Set a post at the intersection of the line line 282 the South
 of the intersection of the Roman line. for the cor of sec. 31
 11 & 12 N. R. 879 W. from which,
 W Oak. 36 in air: beam. S81W. 18 the arch; &
 Buck. 30 " " S82E. 48 " "

West Boundary

North On the East Boundary of sec. 36. T. 11. N. R. 977. N. 6° 40'

40.00 Set a post from which,
 W Oak. 12 in air: beam. S71E. 4 the arch; &
 Do. 14 " " N35W. 33 " "

53.50 To a Brook. 12 the mid, corner N. W.

62.00 " Do. 8 " " N. W.

80.00 Set a post for the cor of sec. 25 & 36. from which,
 W Oak. 11 in air: beam. N72E. 27 the arch; &
 W Oak. 11 " " N62W. 21 " "

Land rolling Timber Oak, White, Ash, Sugar,
 Last 1/2 mile Good land for farming.

North On the East Boundary of sec. 25 T. 11 N. R. 977

40.00 Set a post from which a
 Elm 9 in air: beam S20W. 7 the arch; &
 White 9 " " N10W. 15 " "

67.50 To a Brook 20 the mid, corner N. W.

80.00 Set a post for the cor of sec. 24 & 25 from which,
 Sugar. 10 in air: beam S28W. 5 the arch; &

J. N. H. N. N. 877 D. M. M. S. A.

181

Sugar. 9 in dia: beam. N18 E. 49 lbs dist,
Land rolling on broken & Gooden farming. Timber
Beak, Sugar, Poplar, Ash, Oak, Hickory

North On the East Branch of the 24. J. N. H. N. 977.

40.00 Set a 7/8 sap for from which,

Sugar. 9 in dia: beam. N60 E. 20 lbs dist; & a,

Hick. 10 " " " S80 W. 28 " "

50.00 To a Brook 6 miles wide, corner W.

66.50 " " No. 8 " " " " N.W.

80.00 Set a post for the cor of sec. 13 & 24 from which,

Hick. 16 in dia: beam. S41 W. 30 lbs dist; & a,

Sugar. 11 " " " " N37 E. 45 " "

Land rolling on & gooden farming. Timber same.

North On the East Branch of the 13. J. N. H. N. 977.

13.00 To a Brook 8 miles wide, corner W.

29.00 To a Brook 50 " " " " " " " " " " " "

40.00 Set a 7/8 sap for from which,

Hick. 18 in dia: beam. S22 W. 17 lbs dist; & a,

Wash 18 " " " " " " N18 W. 36 " "

80.00 Set a post for the cor of sec. 12 & 13 from which a

W Oak 11 in dia: beam. N13 E. 34 lbs dist; & a,

Sugar. 6 " " " " " " S6 E. 18 " "

Land same Gooden farming.

North On the East Branch of the 12 J. N. H. N. 877.

34.00 To a Brook 12 lbs wide, corner W.

40.00 Set a 7/8 sap for from which.

Sugar. 8 in dia: beam. S17 W. 8 lbs dist; & a,

Hick. 15 " " " " " " N66 E. 10 " "

80.00 Set a post for the cor of sec. 14 & 15 from which,

Sugar. 12 in dia: beam. S13 E. 28 lbs dist; & a,

Hickory 9 " " " " " " N57 W. 26 " "

Land same as last mile.

T. N. 11. N. R. S. 8th 2nd Mer. Sec.

North On the East Boundary Sec. 11. N. R. 8th -
 40.00 Set a 7th 2nd post from which,
 Buck. 12 in dir. line. S 32 W. 19 lks dist. & a
 No. 24 " " " " N 42 E. 9 " "
 Same do same.
 43.50 To a Brook. 4 links in, corner S. W.
 64.00 " " " " " " " " S. W.
 81.00 Set a temp. 7th post for the cor. of Secs. 11 & 12. N. R. 8th
 8 & 9 W.
 Same do same; Timber Buck, Sugar, Poplar, Oak,
 Elm, Sugar & . Good farming land.

Surveyed by
 William Harris D.S.

Subdivision

South On a Random line between Sec. 35 & 36. T. 11. N. R. 8th
 40.00 Set a temp. 7th 2nd post V. 400
 79.77 Intersect the South Boundary 14 lks West of the post
 on of Sec. 35 & 36.
 Same do 2nd rate barrens.

North On the True line between Sec. 35 & 36. T. 11. N. R. 8th
 39.88 Set the temp. 7th 2nd post at the corner on the True line
 from which Buck. 12 in dir. line. N 79 W. 50 lks (with
 made a No. 6 " " " " N 61 E. 68 " "
 79.77 To the post on of Sec. 25, 26 35 & 36.

East On a Random line between Sec. 25 & 36. T. 11. N. R. 8th
 40.00 Set a temp. 7th 2nd post V. 650
 79.95 Intersect the East Boundary 7 lks South of the post on
 of Sec. 25 & 36.
 Same do same as last mile.

West On the True line between Sec. 25 & 36. T. 11. N. R. 8th
 39.97 Set the temp. 7th 2nd post at the corner on the True line
 from which Buck. 12 in dir. line. N 85 E. 34 lks dist.

T. N. N. N. N. 8th 2nd (Mn. Ind.)

79.95	Key 107 10 in air. bins. 849 E. 50 lbs each. To the post on of sw. 25, 26, 35 & 36.
South	On a Random line between Sw. 25 & 26 T. N. N. 8 th
40.00	Set a trap 7 th to a post in prairie. V. 6 th 50'
62.00	Leave prairie
80.00	Enter east the E. 7 th line 7.2 lbs East of the post on of sw. 25, 26, 35 & 36. Land 2 nd note.
North	On the true line between Sw. 25 & 26. T. N. N. 8 th
40.00	Set the trap 7 th to a post at the ar ditch on the true line in the prairie.
80.00	To the post on of sw. 23, 24, 25 & 26.
East	On a Random line between Sw. 24 & 25 T. N. N. 8 th
40.00	Set a trap 7 th to a post V. 6 th 50'.
79.68	Enter east the East Boundary of farm. 11. N. N. 8 th 2 lbs south of the post on of sw. 24 & 25. Land 2 nd note.
West	On the true line between Sw. 24 & 25 T. N. N. 8 th
39.84	Set the trap 7 th to a post at the ar ditch on the true line from which W. Oak 18 in air. bins. N 88 E 120 lbs each. can also W. Oak 30 " " S 8 E 102 " "
79.68	To the post on of sw. 23, 24, 25 & 26.
South	On a Random line between Sw. 23 & 24 T. N. N. 8 th
35.00	Leave prairie. V. 7 th 00'
40.00	Set a trap 7 th to a post
79.98	Enter east the E. 7 th line 39 lbs East of the post on of sw. 23, 24, 25 & 26. Land same.
North	On the true line between Sw. 23 & 24 T. N. N. 8 th
39.99	Set the trap 7 th to a post at the ar ditch on the true line from which — 12 in air. bins. N 21 W. 269 lbs each
79.98	To the post on of sw. 13, 14, 23 & 24.

T. N. 11. N. R. 8th 2nd 11th Sec. 1.

East	On a Random line between Sec. 13 & 24. T. 11. N. R. 8 th
40.00	Set a temp. 7 th support v. 6-50'
79.00	Intersect the East Boundary of the Township. 45 th W South of the post cor of sec. 13 & 24 Land 2 nd rate.
West	On the True line between Sec. 13 & 24. T. 11. N. R. 8 th
39.50	Set the temp. 7 th support on the true line at the ar dist from which a B. Oak 14 in dia. trans. 45 th E. 14 th N. dist; under a No. 4 " " N 33 th E. 36 th "
79.00	To the cor of sec. 13. 14. 23 & 24
North	Between Sec. 13 & 14. T. 11. N. R. 8 th v. 7-30'
40.00	Set a 7 th support from which W Oak 36 in dia. trans. 45 th E. 39 th N. dist; & a No. 40 " " N 50 th W 9 th "
80.00	Set a post for the cor of sec. 11. 12. 13 & 14 from which a Wick 10 in dia. trans. 55 th W 31 th N. dist; & a B Oak 24 " " N 81 th W 18 th " Land same as last mile
East	On a Random line between Sec. 12 & 13. T. 11. N. R. 8 th
25.00	To a Prairie v. 6-50'
40.00	Set a temp. 7 th support
75.00	Leave the prairie
79.79	Intersect the N. W. line in East Boundary 60 th W North of the post cor of sec. 12 & 13.
West	On the True line between Sec. 12 & 13. T. 11. N. R. 8 th
39.89	Set the temp. 7 th support at the ar dist on the true line.
79.79	To the cor of sec. 11. 12. 13 & 14
South	On a Random line between Sec. 11 & 12. T. 11. N. R. 8 th
30.00	To a Brook 15 th W side, Corner W v. 6-50'
40.00	Set a temp. 7 th support
80.22	Intersect the E. W. line 12 th W West of the post cor of sec.

T. H. H. R. N^o 877 2nd (Mm. Sud^e11. 12. 13 & 14. Land 2nd rate Timber Oak, 73 & 74 Oak & S.

North
40.11 On the new line between Sec. 11 & 12 T. H. H. R. 877
Set the temporary 7/8 sap post at the ar ditch on the new line from
which a W Oak 24 in dia. bears. 956 N. 15 lbs. each. 7 a
73 Oak. 20 " " " 150 E. 50 " "
80.22 To the post cor of sec. 12 11 & 12.

East
40.00 On a Run am line between Sec. 11 & 12 T. H. H. R. 877
Set a temporary 7/8 sap post
79.35 Enter at the East Boundary 11/16 the South of the post cor.
of sec. 11 & 12 Land 2nd rate.

West
39.67 On the new line between Sec. 11 & 12 T. H. H. R. 877
Set the temporary 7/8 sap post at the ar ditch on the new line from
which a Hick 14 in dia. bears. 114 E 59 lbs. each. 8 a
7 Oak. 11 " " " 120 N 49 " "
79.35 To the post cor of sec. 12 11 & 12.

North
40.00 Between Sec. 11 & 12 T. H. H. R. 877
Set a 7/8 sap post from which
W Oak. 20 in dia. bears. 938 N. 50 lbs. each. 7 a
Do. 18 " " " 11 E 44 " "
78.89 Enter at the N Boundary at the post cor of sec. 35 & 36.
T. H. H. R. 877 Land and Timber Oak & Hick
Middleling good for farming

South
5:00 On a Run am line between Sec. 34 & 35 T. H. H. R. 877
40.00 Segro prairie 11/16
Set a temporary 7/8 sap post
79.71 Enter at the South Boundary 16 lbs. West of the post cor
of sec. 34 & 35. Land 2nd rate.

North
39.85 On the new line between Sec. 34 & 35 T. H. H. R. 877
Set the temporary 7/8 sap post at the ar ditch on the new line from
which a Hick 24 in dia. bears. 923 N. 72 lbs. each.

T. No 11. N.R. No 877 D^{na} Mr. Ind^o

19.77 Hickory 12 in diam. beams. 979 E. 111 lbs each.
To the post co of sec 26, 27, 34 & 35.

East Return Sec 26 & 35 T. 11. N. R. 877 N. 6° 50'
6.00 Leave prairie
40.00 Set a 7th sap post from which
W Oak 24 in diam. beams. 965 W. 48 lbs each, 70
Do. 36 " " " 182 E. 50 " "
80.00 Set a post for the co of sec 25, 26, 35 & 36 from which
Sassafras 8 in diam. beams. 837 E. 20 lbs each, 70
Do. 10 " " " 937 W. 32 " "
Land 2nd rate Timber W Oak & S.

South On a Random line between Sec 26 & 27 T. 11. N. R. 877 N. 7° 00'
40.00 Set a temporary 7th sap post.
80.00 Intersect the East & West line 50 lbs East of the post co.
of Sec 26, 27, 34 & 35. Land 1st prairie

North On the true line between Sec 26 & 27 T. 11. N. R. 877
40.00 Set the temporary 7th sap post at the cross ditch on the true line.
80.00 To the post co of sec 22, 23, 26 & 27.

East Return Sec 23 & 26 T. 11. N. R. 877 N. 6° 50'
10.00 Leave the prairie
20.00 Set a 7th sap post from which
Hickory 10 in diam. beams. 837 E. 50 lbs each, 70
W Oak 18 " " " 149 E. 47 " "
42.00 To a Prairie
80.00 Set a post for the co of sec 23, 24, 25 & 26
Land 2nd rate.

North Return Sec 22 & 23 T. 11. N. R. 877 N. 7° 00'
40.00 Set a 7th sap post in prairie
72.00 Leave prairie
80.00 Set a post for the co of sec 14, 15, 22 & 23 from which
Elm 12 in diam. beams. 180 W. 31 lbs each, 70

J. N. 11. N. 11. N. 877 Q. 11. M. J. 187

Heiky 18 in dia. beam. N 39 E 56 lbs. dia.
Lund 2nd rate.

East	Return Sep. 14 & 23 J. 11. N. 11. 877	V. 6° 50'
5.00	To a Prairie	
25.00	Leave a Prairie	
40.00	Set a 7/8 cap post from which W Oak. 36 in dia. beam N 58 E 4 lbs. dia. & a Do. 24 " " " N 63 W 11 " "	
80.00	Set a post for the cor of sec. 13. 14. 23 & 24 from which W Oak. 24 in dia. beam. S 15 W 7 lbs. dia. & a Heiky 12 " " " N 9 E 81 " "	
South	Cap. Random line between Sep. 14 & 15 J. 11. N. 11. 877	
40.00	Set a temp. 7/8 cap post	V. 7° 30'
42.00	To a Brook. 15 lbs. min. leave W.	
80.11	Set a post for the E W line 8 links East of the post cor of sec. 14 & 15 22 & 23. Lund rolling and 2 nd rate	
North	Cap. Random line between Sep. 14 & 15 J. 11. N. 11. 877	
40.05	Set a temp. 7/8 cap post at the cor dia. on the W line from which an Ironwork line dia. beam. S 39 E 5 lbs. dia. and a W Walnut 4 " " " N 34 W 15 " "	
80.11	To the post cor of sec. 10. 11. 14 & 15.	
West	Return Sep. 11 & 14 J. 11. N. 11. 877	V. 6° 50'
40.00	Set a 7/8 cap post from which Becky 18 in dia. beam. N 17 W 41 lbs. dia. & a Do. 18 " " " S 23 E 39 " "	
80.00	Set a post for the cor of sec. 10. 11. 14 & 15 from which Heiky 8 in dia. beam. N 84 E 36 lbs. dia. & a Ely. 14 " " " S 37 W 14 " " Lund 2 nd rate Iron Back & Sh.	
North	Return Sep. 10 & 11 J. 11. N. 11. 877	V. 6° 20'

T. N. 11. N. R. S. 877 2nd Mer. Sec. 2

40.00	Set a 1/4 section post from which Kick 10 in dir. beam. S 877 24 1/4 sec. Va Buck. 18 " " " N 47 71. 14 " "
67.00	To Brook. 15 links mid, corner W
80.00	Set a post for the cor of sec. 2, 3, 10 & 11 from which Prplan. 12 in dir. beam S 32 E. 5 1/4 sec. Va, W Oak. 6 " " " N 56 77 25 " " Land same as last mile.
East	Return Sec. 2 & 11. T. 11. N. R. 877 N. 6° 50'
40.00	Set a 1/4 section post from which W Oak 10 in dir. beam. S 27 77. 31 1/4 sec. Va, Ls. 36 " " " N 24 E. 26 " "
80.00	Set a post for the cor of sec. 1, 2, 11 & 12 from which W Oak. 18 in dir. beam. N 6 77 32 1/4 sec. Va, New 12 " " " S 57 E. 29 " "
North	Return Sec. 2 & 3. T. 11. N. R. 877
40.00	Set a 1/4 section post from which Lugan. 12 in dir. beam. N 64 77 8 1/4 sec. Va, Hogwood 7 " " " N 41 E. 12 " "
78.43	Enter at the N. Boundary at the post cor of sec. 34 & 35 T. 12. N. R. 877 Land 2 nd rate
North	Return Sec. 33 & 34 T. 11. N. R. 877 Sec. 3. 1815.
40.00	Set a 1/4 section post from which C. Oak. 10 in dir. beam. N 6 77 90 1/4 sec. Va, Ls. 9 " " " N 43 E. 35 " "
41.00	To Brook. 6 1/4 sec mid, corner E.
70.00	Enter a Prairie
80.00	Set a post for the cor of sec. 28, 33 & 34 in prairie No bearing trees Land of a muddling good quality. Good for wheat; Limbs, Oak & Hickory

189

T. No 11. N.R. No 877 2nd Mm. Sec:

East	Return Sec 27 1834 T. 11. N. 16. 8 th W. v. 6 th 50'
40.00	Set a 1/2 la post in prairie Dec. 3 rd 1815.
65.00	Leave the prairie
73.00	To a Prairie.
80.00	Set a post for the cor of sec. 26. 27. 34 1835. from which W. Oak 12 in dir. bears S 53 E. 379. lks dist. Land 2 nd rate.
North	Return Sec 27 1828 T. 11. N. 16. 8 th W. v. 7 th 00'
40.00	Set a 1/2 la post from which W. Oak 36 in dir. bears S 51 E. 81 lks dist. & a New 74 " " " N 64 E. 64. "
80.00	Set a post for the cor of sec 21. 22 27 1828 from which W. Oak 12 in dir. bears N 11 th 43 lks dist.
East	Return Sec 22 & 27 T. 11. N. 16. 8 th W. v. 6 th 50'.
8.00	Leave the prairie
40.00	Set a 1/2 la post from which W. Oak 36 in dir. bears S 55 W. 49 lks dist. & a New 7 18 " " " N 68 E. 53. "
46.00	To a Prairie.
80.00	Set a post for the cor of sec 22, 23, 26 & 27. (in prairie.) Land 2 nd rate.
North	Return Sec 21 & 22 T. 11. N. 16. 8 th W. Dec. 4. 1815.
39.00	Leave the prairie. v. 7 th 00'
40.00	Set a 1/2 la post from which New 7 10 in dir. bears N 11 th 55 lks dist. & a Edge. 18 " " " N 41 th 150. "
80.00	Set a post for the cor of sec. 15. 16. 21 & 22 from which W. Oak 24 in dir. bears S 84 th 27 lks dist. & a No. 18 " " " S 68 E. 55 " "
	Land 2 nd rate;
West	On a Roman line between Sec 15 & 22 T. 11. N. 16. 8 th W.
10.00	To a Prairie. v. 6 th 50' Dec. 4. 1815.

T. N. 11. N. R. N. 872nd. (Mn. Land)

40.00 Set a trap 7th 1/2 a post on prairie
 65.00 Leave the prairie
 80.03 Into last the N. 87th line 6000 North of the post cor.
 of sec. 15. 16. 21 & 22 Land 2nd rate.

East On a true line between Sec. 15 & 22 T. 11. N. R. 87th.
 40.01 Set the trap 7th 1/2 a post at the corner on the true line.
 80.03 To the post cor. of sec. 14. 15 & 22 & 23.

South On a Random line between Sec. 15 & 16 T. 11. N. R. 87th.
 5.00 To a Post R. 10 Mts. mile, corner N. W. V. 7° 30'
 20.00 " " Do 15 " " " " N. W.
 40.00 Set a trap 7th 1/2 a post
 81.06 Into last the E. 87th line 5 Mts. West of the post cor. of sec.
 15 16. 21 & 22 Land 2nd rate.

North On a true line between Sec. 15 & 16 T. 11. N. R. 87th.
 40.53 Set the trap 7th 1/2 a post at the corner on the true line
 from which W Oak. 18 in diam. bears N 84 E. 39 Mts. dist;
 W Oak. 24 " " " " S 70 W. 26 " "
 81.06 To the post cor. of sec. 9. 10. 15 & 16. Sec. 5th 18 & 15.

West Return Sec. 10 & 13 T. 11. N. R. 87th. V. 6° 50'.
 40.00 Set a 7th 1/2 a post from which
 Poplar. 10 in diam. bears S 55 W. 20 Mts. dist; & a
 Sugar. 12 " " " " N 17 E. 34 " "
 80.00 Set a post for the cor. of sec. 9. 10. 15 & 16. from which
 W Oak. 4 in diam. bears N 84 W. 2 Mts. dist; & a
 W Oak. 18 " " " " N 76 E. 18 " "
 Land 2nd rate; Timber Buck. & W Oak. Sugar & 3

North Return Sec. 9 & 10 T. 11. N. R. 87th. V. 6° 50'.
 12.50 To corner 40 Mts. mile, corner N. W.
 40.00 Set a 7th 1/2 a post from which
 Sugar. 12 in diam. bears S 75 E. 22 Mts. dist; & a
 W Oak. 15 " " " " S 79 W. 44 " "

T. N. H. N. 877. 2nd Mm. S. d.

80.00 Set apart for the cor of sec 3, 4, 9 & 10 from which
Oak 4 in diam. trees. N 85 E. 10 lbs ash; & a
Beck. 18 " " N 84 W 22 " "
Land 2nd rate; Timber Buck, Oak, Ash, &c.

West Oak Random line between Sec. 3 & 10 T. 11. N. R. 877.

9.00 To a creek 50 lbs mid, lower S. V. to 50.

40.00 Set a trap 1/2 in east

80.07 Set out the N & S line 28 lbs South of the post on off
Sec. 3, 4, 9 & 10. Land 2nd rate.

East Oak Random line between Sec. 3 & 10 T. 11. N. R. 877.

40.03 Set the trap 1/2 in east at the cor with the line
from which Sugar. 8 in diam. trees. S 58 E. 25 lbs ash
and a Red Bud 6 " " N 43 E. 21 " "

80.07 To the post on off sec. 2, 3, 10 & 11.

North Return Sec. 3 & 11. T. 11. N. R. 877 V. to 50.

40.00 Set a 1/2 in east from which

Beck. 12 in diam. trees. S 57 E. 21 lbs ash; & a

Hq. 8 " " " N 56 W 9 " "

78.50 Set out the N & S line at the post on off sec. 33 & 34
T. 12 N. R. 877. Land 2nd rate; Timber Buck Oak
Ash &c.

North Return Sec. 32 & 33 T. 11. N. R. 877 V. to 00.

40.00 Set a 1/2 in east from which

Hick 78 in diam. trees. S 13 W. 27 lbs ash; & a

Hq. 8 " " " N 16 E. 39 " "

80.00 Set apart for the cor of sec. 28, 29, 32 & 33 from which
Hick 15 in diam. trees. N 49 E. 15 lbs ash; & a
Oak. 27 " " " S 57 W 62 " "
Land 2nd rate; Timber Oak Hick; Good for wheat.

East Oak Random line between Sec. 28 & 33 T. 11. N. R. 877.

35.00 Enter a prairie.

T. N. 11. N. R. N. 877 2nd Mer. Sec. 5

40.00 Set a temp. 7 1/2 sa post.
 79.93 Intersect the N & S line 26 lbs South of the post on off
 Sec. 27, 28, 33 & 34. Second 3rd rate.

West On the true line between Sec. 28 & 33. T. 11. N. R. 877.
 39.96 Set the temp. 7 1/2 sa post at the ar. arch on the true line from
 which 73 Oak. 16 in diam. bears N 21 E 224 lbs arch, & 4,
 73 Oak. 8 " " " N 86 E 264 " "
 79.93 To the post on off sec. 28, 29, 32 & 33.

North Between Sec. 28 & 29 T. 11. N. R. 877. + 6° 50'
 40.00 Set a 7 1/2 sa post from which
 77 Oak. 12 in diam. bears S 15 W 32 lbs arch, & 4,
 73 Oak. 20 " " " N 26 E 25 " "
 80.00 Set a post for the ar. of sec. 21, 21, 28 & 29 from which
 76 Oak. 10 in diam. bears N 72 E 35 lbs arch, & 4,
 77 Oak. 18 " " " N 41 W 27 " "
 Second level Timber Oak & Hickory 3rd rate.

East On a Random line between Sec. 21 & 28 T. 11. N. R. 877
 40.00 Set a temp. 7 1/2 sa post.
 80.00 Intersect the N & S line 17 lbs South of the post on off
 Sec. 21, 22, 27, & 28. Second 3rd rate prairie.

West On the true line between Sec. 21 & 28 T. 11. N. R. 877
 40.00 Set the temp. 7 1/2 sa post at the ar. arch on the true line.
 in the prairie No bearing trees.
 80.00 To the post on off sec. 20, 21, 28 & 29.

South On a Random line between Sec. 20 & 21. T. 11. N. R. 877
 40.00 Set a temp. 7 1/2 sa post
 80.20 Intersect the E & W line 52 lbs East of the post on off sec.
 20, 21, 28 & 29. Second same.

North On the true line between Sec. 20 & 21. T. 11. N. R. 877
 40.10 Set the temp. 7 1/2 sa post at the ar. arch on the true line.

J. N. H. A. R. N. 877.200 Mm. Qua?

from which Hick 9 in dist. from. 8-10 E. 41 the met;
 & 10. 12, " " 8977.20 " "
 80.20 To the post on of sw. 16. 17. 20 & 21.

Supervagation

~~East One Random line between Sw. 21 & 28 J. N. H. A. R. 877~~
 40.00 Set a trap 7 1/2 in post
 80.00 Intercept the A & S line 17 the South of the post on of
 Sw. 21. 22. 27 & 28. Found 300 rats prairie.

~~West One line between Sw. 21 & 28 J. N. H. A. R. 877~~
 40.00 Set the trap 7 1/2 in post at the on dist. with the line in
 prairie. No bearing. Inset.
 80.00 To the post on of Sw. 20. 21. 28 & 29.

~~South One Random line between Sw. 20 & 21 J. N. H. A. R. 877~~
 40.00 Set a trap 7 1/2 in post
 80.20 Intercept the A & S line

West One Random line between Sw. 16 & 21. J. N. H. A. R. 877.
 40.00 Set a trap 7 1/2 in post. Dec. 5. 1815.
 79.54 Intercept the A & S line 17 the South of the post on 16. 17.
 20 & 21. Found 300 rats.

East One line between Sw. 16 & 21. J. N. H. A. R. 877.
 39.77 Set the trap 7 1/2 in post at the on dist. with the line from
 which Hick 10 in dist. from. 14-17 the met;
 & 14. 14, " " 82877.31, "
 79.54 To the post on of Sw. 15. 16. 21 & 22

North Return Sw. 16 & 17 J. N. H. A. R. 877
 40.00 Set a trap 7 1/2 in post from which
 Hick 7 in dist. from 13-17 the met. & 13
 & Oak. 18 " " North 37, "
 80.00 Set a post for the on of Sw. 8. 9. 16 & 17 from which
 Hick 9 in dist. from. South 26 the met. & 13
 & Poplar. 10 " " 14-17. 21, "

T. N. N. N. N. 877 2nd (Mm. Ind.:

Land some what uneven: rich soil; good for farming
 the Smith Oak Poplar, ash, &c.

East Between Sec. 7 & 16. T. 11. N. R. 87N. On a R. 1000
 40.00 Set a 1/2 east. from which
 Wick 7 28 in dir. beam. N 33 E 29 the creek, &c.
 93. Oak 9 1/2 " " N 56 W 30 " "
 40.00 Set a trap 1 1/2 east.
 79.32 Enter east the N 53 W 158 the South of the post on off Sec.
 9. 10. 15 & 16. Oak & Wick 7 land.

West On the line between Sec. 16 & 9. T. 11. N. R. 87N.
 39.66 Set the trap 1 1/2 east at the creek in the line
 from which 93. Oak 8 in dir. beam. N 38 E 25 the creek
 and a No. 7 " " N 15 W 26 " "
 79.32 To the post on off Sec. 8. 9. 16 & 17.

North Between Sec. 8 & 9. T. 11. N. R. 87N.
 27.00 To a creek 30 the mid, lower W.
 40.00 Set a 1/2 east from which
 W. Oak 9 in dir. beam. N 57 E 10 the creek, &c.
 Hick 7 9 1/2 " " N 47 W 12 " "
 80.00 Set a post for the cor of Sec. 4. 5. 8 & 9 from which
 Beck. 20 in dir. beam. N 45 W 12 the creek, &c.
 Hick 14 " " N 88 E 43 " "
 Land similar

West On a R. 1000 line between Sec. 4 & 9. T. 11. N. R. 87N.
 40.00 Set a trap 1 1/2 east. - N. 7° 30'
 79.76 Enter east the N 53 W line 130 the North of the post on off
 Sec. 4. 5. 8 & 9. Land same.

East On a true line between Sec. 4 & 9. T. 11. N. R. 87N.
 39.88 Set the trap 1 1/2 east at the creek in the line
 Beck. 24 in dir. beam. N 88 E 23 the creek, &c.
 No. 12 " " N 77 W 7 " "

79.76	To the post cor of sec 3, 4, 9 & 10.
North 40.00	Return Sec 4 & 5 T. 11. N. R. 87W N. 6° 50'. Set a 1/4 section from which Beck. 24 in dist. from NW E 9 the dist. to N 1/4 Sec. 10 " " " " N 48 W 46 " "
80.67	Intersect the N. R. 87W at the post cor of sec 32 & 33. T. 12 N. R. 87W Land same as last note.
South 40.00	Cap. Can. arm line between Sec. 31 & 32 T. 11. N. R. 87W Set a temporary 1/4 section. N. 7° 00'.
80.13	Intersect the South Boundary 43 lbs West of the post cor Sec 31 & 32 Land herb; Intersect also T. 12 N.
North 40.06	On the line between Sec. 31 & 32 T. 11. N. R. 87W Set the temporary 1/4 section at the on. dist. on the line from which Beck. 10 in dist. from NW E. 60 the dist.
80.13	To the post cor of sec. 29, 30, 31 & 32.
West 80.00	Between Sec. 29 & 30 T. 11. N. R. 87W. To a Beck. 10 lbs. side, corner N. W.
40.00	Set a 1/4 section from which P. Oak. 24 in dist. from NW E. 60 the dist. to Beck. 24 " " " " N 56 W 53 " "
45.00	Enter a Prairie.
80.00	Set a post for the cor of sec. 29, 30, 31 & 32 from which Beck. 14 in dist. from NW E. 38 the dist. to P. Oak. 1 " " " " N 66 W 19 " "
	Land rate.
West 40.00	Return Sec 30 & 31 T. 11. N. R. 87W. Set a 1/4 section from which Beck. 27 in dist. from NW E. 33 the dist. to Lag. 9 " " " " N 88 W 57 " "
74.92	Intersect the West Boundary 31 lbs North of the post cor of Sec. 25 & 26 T. 11. N. R. 97W and set a post for the cor of

T. N. H. N. N. 877 Quad Mer. Ind.

Sec 30 & 31. from which
 Healy 10 in diam. trees. S55W. 3 the dist. 10,
 Saffron 10. " " N5E. 16. "
 Land here Timber Oak & Healy; good for wheat;
 Maple very rich; Timber Beech, Sugar, Poplar, Oak
 Good land for farming

South On a Random line between Sec. 29 & 30. T. N. H. N. 877
 40.00 Set a trap 17 in sap post
 40.00 Is at Brook. 10 the side. Course N.
 79.88 Enter cut the E 77 line 83 miles East of the post on off
 Sec. 29. 30 & 31. & 32
 Land here & west. Timber Healy Oak Ash & Maple

North On the line between Sec. 29 & 30 T. N. H. N. 877
 39.94 Set the trap 17 in sap post at the arch on the line
 from which Healy 7 A in diam. trees. S24W. 9 the dist.
 made a W. Beck. 5. " " N39E. 13. "
 79.88 To the post on off Sec. 19. 20-29 & 30.

West Return Sec. 20 & 29 T. N. H. N. 877 7650
 40.00 Set the 7 in sap post from which
 Healy 7 14 in diam. trees. N78E. 11 the dist. 7,
 77.94. 18 " " " N36W. 32. "
 80.00 Set a post for the cor of Sec. 19. 20. 29 & 30 from which
 Healy 8 in diam. trees. S81E. 26 the dist. 7,
 N. 9. " " " S54W. 34. "
 Good land and ant; Timber Oak Maple Ash &

West Return Sec. 19 & 30 T. N. H. N. 877
 40.00 Set a 7 in sap post from which
 Elm 12 in diam. trees. East — the dist. 7,
 Poplar 9. " " " N27W. 37. "
 75.94 Enter cut the West Boundary 48 the South of the post
 on off Sec. 24 & 25. T. N. H. N. 977. and set a post
 for the cor of Sec. 19 & 30 from which

T. H. A. R. No 9 W 2nd Mrs. Lued-

Neighb 7 in dist. bears N 17 W. 5 the dist. 7 a
 Reub. 14 " " " S 12 W 37 " "
 Land rich and good for farming; Timber Buck Sugar
 & Ash &c.

North Return Sec. 19. 1820 T. H. A. R. 87 W
 40.00 Set a p. capst from which
 Sugar. 8 in dist. bears S 60 W 34 the dist. 7 a
 Do. 12 " " " N 73 E. 49 " "
 80.00 Set a post for the cor of cor. 17. 18. 19 1820 from which
 Reub. 18 in dist. bears N 47 E. 18 the dist. 7 a
 Sugar. 9 " " " S 26 E. 9 " "
 Land same & good for farming.

East Return Sec. 17 1820 T. H. A. R. 87 W
 35.00 Is a small Brook known as
 40.00 Set a p. capst from which
 Neighb 7 in dist. bears N 35 W. 16 the dist. 7 a
 Red Bud 8 " " " S 5 W. 26 " "
 80.00 Set a post for the cor of cor. 16. 17. 20 & 21 from which
 W Oak 30 in dist. bears S 17 E. 34 the dist. 7 a
 Do. 24 " " " South 50 " "
 Land same as last mile.

West Return Sec. 18 & 19. T. H. A. R. 87 W 7. 6.00
 40.00 Set a p. capst from which
 W Oak. 27 in dist. bears N 35 E. 2 the dist. 7 a
 43 Gum 11 " " " S 11 W 25 " "
 50.00 Is a Brook 10 the m. a. known as
 75.95 Set a post for the cor of cor. 13 & 14 from which
 13 & 14 T. H. A. R. 97 W and set a post for the cor of cor.
 18 & 19 from which
 Reub. 18 in dist. bears S 62 W. 24 the dist. 7 a
 W Walnut 8 " " " S 70 E. 10 " "
 Land rich and good for farming; Timber Buck, Poplar
 Walnut, Ash, Oak &c.

T. No 11. N.R. No 877 Quad. Min. Ind.

North Between Sec 17. 718 T. 11. N.R. 877
 20.00 To a Brook 6 lks min, course W
 40.00 Set a temp. 1 1/4 to post from which
 Sugar. 10 in dia. trunk. N 39 W. 6 lks. dist. to
 Wash. 12 " " East 49 " "
 44.00 To a Brook 50 Menish, course W.
 80.00 Set a post for the cor. of sec. 7. 8. 17. 718 from which
 Poplar 10 in dia. trunk. South 28 lks. dist. to
 Sugar. 12 " " N 22 W. 4 " "
 Lande Simbar

West Qua Random line between Sec 8 717. T. 11. N.R. 877
 25.00 To a Brook 30 Menish, course SW
 40.00 Set a temp. 1 1/4 to post
 79.62 Into sec the NW line 30 lks South of the post on off
 Sec. 7. 8. 17. 718
 Lande of a middling quality

East Qua True line between Sec 8 717. T. 11. N.R. 877
 39.81 Set the temp. 1 1/4 to post at the ar. dist. on the true line
 from which an Elm 7 in dia. trunk. N 71 W. 7 lks. dist.
 and on Ash. 8 " " S 89 E 72 " "
 79.62 To the post on off Sec. 8. 9. 16 717.

West Between Sec 7. 718 T. 11. N.R. 877
 40.00 Set a 1/4 to post from which
 Beech. 12 in dia. trunk. North 28 lks. dist. to
 Ho. 12 " " S 37 W. 2 " "
 75.89 Into sec the West Boundary 42 lks South of the post
 cor. of sec. 12 713. T. 11. N.R. 877. and set a post on off
 Sec. 7. 718 from which an
 Beech. 20 in dia. trunk. S 49 W. 28 lks. dist. to
 Sugar. 10 " " N 4 E. 23 " "
 Lande similar to last mile.

North Between Sec 7. 718 T. 11. N.R. 877 Qua Random

10.00 To a Brook 3 mls. in, come S. W.
 40.00 Set a trap post (trap 1)
 60.50 To a Brook 8 mls. in, come W
 79.50 Set out the (N. 3) (E. 7 W. ?) line 30 mls East of the post
 in of Sec. 5. 6. 7 & 8.
 Land here and on adjoining good for farming.

North
 39.75 Cut the line between Sec. 7 & 8. T. 11. N. R. 8 W
 Set the trap 1 in a post at the ar. arch on the line from
 which N. 10 in a. line. N. 29 E. 33 the arch, & a
 Sugar 12 " " " N. 3 E. 27 " "
 79.50 To the post in of Sec. 5. 6. 7 & 8.

West
 40.00 Return Sec. 5 & 8 T. 11. N. R. 8 W. V. 6° 50.
 Set a 1/4 post from which
 Back 18 in a. line. N. 51 W. 30 the arch, & a
 Lg. 12 " " " N. 81 E. 23 " "
 80.00 Set a post for the cor. of Sec. 5, 6, 7 & 8 from which
 N. 10 in a. line. N. 25 W. 9 the arch, & a
 Lg. 12 " " " N. 28 E. 37 " "
 Land 2nd rate; Timber Oak Back Act. &.

West
 3.50 Return Sec. 6 & 7 T. 11. N. R. 8 W
 40.00 To a Brook 12 mls. in, come S.
 Set a 1/4 post from which
 Back 14 in a. line. N. 10 E. 27 the arch, & a
 N. 24 " " " N. 3 W. 24 " "
 75.74 Set out the N. 3 line on West Boundary 11.1 mls South
 of the post cor. of Sec. 1 & 2 T. 11. N. R. 8 W. and set a
 post for the cor. of Sec. 6 & 7 from which
 N. 10 in a. line. N. 64 E. 9 the arch, & a
 Lg. 5 " " " N. 30 W. 20 " "
 Land good for farming land. Hard Timber Walnut
 Oak &.

